DELCO ROTARY FILE

(RS 2988)

AUTODESK, INC.
2320 MARINSHIP WAY
SAUSALITO, CA 94965

INSTALLATION REFERENCE FOLDER

Apr 85

Let DELCO design an efficient ROTARY DELCOFILE especially for your needs

DELCO ASSOCIATES, INC., 55 Old Field Pt. Rd. • P.O. Box 423 • Greenwich, Conn. 06830 • (203) 661-5101

EIGHT POSITION MANUAL MICROFILM ROTARY DELCOFILE
with six 10 ft. diameter tiers, each with a capacity to hold 336 microfilm cartridges; used for credit card transactions at a large bank.

CONTINUOUSLY TURNING MOTORIZED MICROFILM ROTARY DELCOFILE
Over 16 ft. in diameter with four tiers, each with a capacity of 592 microfilm cartridges at a leading bank.

SEVEN POSITION MOTORIZED MICROFILM ROTARY DELCOFILE
Over 10 ft. in diameter, with six tiers for bulk filing of checks on microfilm housed in cartridges at a modern bank operations center.

Cover photo

SLOPE FIN MAIL SORT ROTARY DELCOFILES
each with two 77" diameter tiers, with 150 compartments per tier; in constant use in mailroom of a leading distribution firm.



EIGHT POSITION BOOK AND CARD ROTARY DELCOFILE
with two tiers, 85″ and 120″ diameter, at a credit department of a leading department store.

SIX POSITION BOOK ROTARY DELCOFILE
with two tiers of 72″ diameter (manual) and 92″ diameter (motorized) at a collection department of a major department store.

SERVICE DISPATCH ROTARY DELCOFILE
with one 65″ diameter, 150 compartment tier; 20″ wide circular work shelf and center drawers. Seats up to ten people at a telephone company customer service department.



EIGHT POSITION CABLE ASSIGNMENT BOOK ROTARY DELCOFILE
with 88″ diameter single tier holding 120 books; a 12″ wide circular work shelf for eight work station desks each with 2-drawer pedestal and center drawer installed at a progressive telephone company.

SIX POSITION DISPATCH ROTARY DELCOFILE
One tier, 65″ diameter, 150 slots with 16″ wide circular work shelf and six work stations in a customer service center at a major telephone company.



FIVE POSTITION MAP AND DISPATCH ROTARY DELCOFILE
54″ diameter dispatch tier with 160 compartments and a 12″ wide circular work shelf; the 54″ diameter map cylinder is 30″ high with 14 linear feet of mounting surface, installed at a telephone company service dispatch center.

FOUR POSITION FILE FOLDER ROTARY DELCOFILE
Motorized 63″ diameter tier holds hanging file folders, and a manual 33″ diameter book tier at a customer service department of a large furniture chain.

SEE OUR CUSTOM ROTARY DELCOFILE BROCHURE FOR ADDITIONAL INSTALLATION PHOTOGRAPHS, TECHNICAL INFORMATION AND SPECIFICATIONS

DELCO ASSOCIATES, INC., 55 Old Field Pt. Rd. • P.O. Box 423 • Greenwich, Conn. 06830 • (203) 661-5101

Form IRF-1282

PRINTED IN U.S.A.

Apr 88

DELCO ASSOCIATES, INC.
P.O. BOX 423 (55 OLD FIELD POINT ROAD)
GREENWICH, CT. 06830
GENERAL SALES (203) 661-5101
NEW YORK SALES (212) 697-5978

COMMUNICATIONS FURNITURE & ACCESSORIES

SPECIFICATION ADVANTAGES OF CUSTOM ROTARY DELCOFILES

1. ALL CUSTOM ROTARY DELCOFILE TIERS OVER 72' IN DIAMETER ARE SHIPPED IN FOUR OR MORE SECTIONS FOR EASE OF ENTRY INTO BUILDING DOORWAYS, CORRIDORS, ELEVATORS AND EASE OF ASSEMBLY. THERE IS LESS CHANCE OF DAMAGE TO ROTARY TIERS OR THE BUILDING AND EXPENSIVE "RIGGING" TO GET THE UNIT(S) INTO A BUILDING IS NOT NECESSARY.

2. THE CLUTCH ON ALL SINGLE MOTORIZED CUSTOM ROTARY DELCOFILES MAY BE ADJUSTED EASILY WITHOUT REMOVING THE TIER. THIS IS VERY IMPORTANT, ESPECIALLY IN THE EVENT OF A POWER FAILURE. AT WHICH TIME, THE CLUTCH CAN BE RELEASED AND THE MOTORIZED TIER CAN BE USED MANUALLY UNTIL THE POWER IS ON AGAIN. NORMAL ADJUSTMENTS OF THE CLUTCH OVER THE LIFETIME OF THE UNIT ARE ALSO EASIER BECAUSE OF THIS FEATURE.

3. THE MAIN ON AND OFF SWITCH, FUSE HOLDER AND PUSH BUTTON RECEPTACLES ARE MOUNTED EXTERNALLY ON THE MOTOR BASE ENCLOSURE OR RING SHELF PANELS FOR FAST EASY ACCESS.

4. ALL MOTORS AND CONTROL BOXES ARE FULLY GROUNDED FOR SAFETY AND THE CONTROL BOX IS ACCESSIBLE THROUGH THE REMOVAL OF ONE PANEL OF THE ENCLOSURE. DELCO USES LARGER MOTORS TO INSURE MOVING HEAVY LOADS WITH EASE AND USES OF HEAVY DUTY CHAIN/SPROCKET DRIVE TRAIN.

5. DECORATOR COLORS CAN BE SUPPLIED OTHER THAN DELCO'S NINE STANDARD METAL FINISHES AND TWO DESK TOP LAMINATES.

6. OUR PRICES ON CUSTOM ROTARY FILES ALWAYS INCLUDE FREIGHT CHARGES TO DESTINATION USUALLY BY VAN, BLANKET WRAPPED.

7. SPECIAL REQUIREMENTS THAT YOU MAY HAVE WILL BE GLADLY QUOTED.

8. PUSH BUTTON CONTROLS ARE NORMALLY MOUNTED IN APRON OF DESK OR WORK STATIONS RATHER THAN IN DESK TOPS. THIS METHOD ALLOWS MOTORIZED UNITS TO BE ACTIVATED WITHOUT SHIFTING MATERIAL ON THE DESK. IT ALSO PREVENTS DUST FROM FALLING INTO CONTROLS AND CAUSING BUTTONS TO STICK.

9. ALL WIRING FOR PUSH BUTTON CONTROLS ARE BEHIND APRONS SO THAT CONTACTS CANNOT BE ACCIDENTALLY BROKEN. PUSH BUTTON ASSEMBLIES CAN BE REPLACED WITHOUT SOLDERING SIMPLY BY UNPLUGGING.

10. ON CUSTOM ROTARY DELCOFILES, SINGLE TAPERED OR DOUBLE TAPERED DESK TOPS STANDARD AT YOUR OPTION. TOPS WITH NO TAPER ARE ALSO AVILABLE AT NO UPCHARGE.

REV. 1/82

PRICES AND SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE.

Apr 88



FORMS ROTARY DELCOFILE

This attractive Model No. D-2440 unit is 24" in diameter and has 40 compartments to accommodate 6" x 9" orders or forms of similar size. Each opening measures 8⅝"D x 1¾"W at front by ½"W at back x 4¾" H partitions. Plastic label holders with white inserts are standard. This unit turns easily on quiet bearings. Double deck units also available.

Standard decorator color—Sandalwood Beige. Other colors available at additional cost.

These units can be used for microfilm cartridges and microfiche as well.

Two and three tier units are available. Floor stand in place of the desk stand is optional.

DELCO ROTARY DELCOFILES

BOOK ROTARY DELCOFILE

This Model No. B-3306-1 contemporary 33″ diameter book unit can be used independently or double decked with the forms unit on the top. Six fixed partitions and one movable partition are standard.
Depth of openings 11¼″.
Height of partitions 9″.

Standard decorator color—Sandalwood Beige. Other colors available at additional cost.

Two and three tier units are available. Floor stand in place of the desk stand is optional.

Other size rotaries in single and multiple tiers, as well as large motorized units, are available.



See other side for complete specifications . . . ▶

DELCO ASSOCIATES, INC.
55 Old Field Pt. Rd. P.O. Box 423
Greenwich, Conn. 06830 • (203) 661 5101

FORMS ROTARY DELCOFILE — MODEL NO. D-2440

TIER

Outside Diameter ..... 24"
Inside Diameter ..... 6¾"
Number of openings 40
Large end of opening ..... 1¾"
Small end of opening ..... ½"
Depth of opening ..... 8⅝"
Height of partitions ..... 4¾"
Flange down ..... ¾"
Plastic label holder, with white inserts ..... ½"
Height from desk top ..... 2"
Bearings: Nylon radial 2
Weight tier only ..... 25 lbs.

SHAFT & BASE

Square steel base with a corner to corner dimension of 15"
Shaft 1¼" diameter solid steel
Single unit length ..... 5"
Double unit length ..... 12"
Weight: Single unit ..... 13 lbs.
Double unit ..... 14 lbs.

SPECIFICATIONS

BOOK ROTARY DELCOFILE — MODEL NO. B-3306-1

TIER

Outside diameter ..... 33"
Inside diameter ..... 10¼"
Number of openings 6
Large end of openings ..... 17"
Small end of opening ..... 5⅛"
Depth of opening ..... 11¼"
Height of partitions ..... 9"
Number of moveable partitions 1
Up to 54 moveable partitions may be inserted
Flange down ..... ¾"
Height from desk ..... 2"
Bearings: Nylon radial 2
Weight tier only ..... 29 lbs.

SHAFT & BASE

Square steel base with a corner or corner dimension of 15"
Shaft 1¼" diameter solid steel
Single unit length ..... 7½"
Double unit length ..... 20"
Weight: Single unit ..... 13 lbs.
Double unit ..... 21 lbs.

Rotary units can be multiple tiered.

24" card and 33" book units can be combined on same shaft and base.

Specifications may be changed without prior notice.

DELCO ASSOCIATES, INC. 55 Old Field Pt. Rd. P.O. Box 423
Greenwich, Conn. 06830 • (203) 661 5101

Form 24/33-980

Apr 88

Greater operator productivity with the

DELCO TELEPHONE ANSWERING SERVICE CENTER

*Clustered Modular Consoles offer **Peak Efficiency** for up to 6 Operators*

- Improves Response Time
- Reduces Operator Fatigue
- Saves Space—Minimizes Noise
- Provides Faster and Better Subscriber Service



Designed for use with AUTOTAS* components, the Delco Modular Telephone Answering Service Center consists of two or three double work stations with cable troughs, equipment consoles with acoustical barriers; pedestals with box and file drawer, carpeted time clock compartment and utility compartment; one free-standing triangular center table unit with hexagonal cable enclosure.

As many as four 36″ diameter 200-slot stackable rotary files are available; 36″ diameter top tier with storage compartments is optional. A wing console for radio communications equipment is also optional.

Features:

- Desk tops and recesses, sloping apparatus support consoles, and center support triangle are made of sturdy $1\frac{1}{8}$″ particle board with attractive high pressure laminate surfaces.
- Side panels of desks have attractive matching laminate inserts.
- Laminates available in Teak and Walnut, as well as other patterns from WilsonArt and other manufacturers.
- Desks and pedestals are all welded steel construction with 14-18 gauge structural members and 20 gauge steel panels in baked enamel finish.
- Standard colors are Putty, Sandalwood Beige, Computer Blue and Computer White; other paint finishes available.
- Desk top assemblies are shipped separately from bottom sections for easy shipping and movement through doorways.
- Swing-down panel in each desk position and 3 removable panels on center enclosure provides immediate access to cable enclosures for ease of cable installation and service.
- Desk units and central support table are equipped with sturdy leveling glides with 1″ stem and $1\frac{3}{8}$″ nylon pads to assure proper leveling of all components.

DETAILS ON OTHER SIDE

*Registered Trade Mark of Candela Electronics Corp.





Join the telephone industry and other major corporations that use DELCO specialized office equipment extensively for several functions and improve your efficiency, too!

CALL OR WRITE NOW!
TOLL FREE 800-243-8528
CONN. 203-661-5101 N.Y. CITY 212-697-5978

DELCO ASSOCIATES, INC.

Serving The Communications Industry For Over 20 Years

55 Old Field Point Road
Box 423, Greenwich, Ct. 06836

DEALERS THROUGHOUT THE UNITED STATES

FORM TAS-784-3

Rotary Files Save Space, Reduce Fatigue, Improve Efficiency

Delco Associates Inc. of Greenwich, CT, offers its congratulations to the mailroom of W. W. Grainger Inc. as winner of ZIP Magazine's 1982 Mailroom of the Year Award in the Outgoing Mail Division. We are proud to be playing a role in that outstanding mail-handling operation.

As part of its award-winning efforts to improve mailroom efficiency and productivity, Grainger, a Skokie, IL, electrical products manufacturer, knew it would have to pay as much attention to systems for handling its incoming mail as it did for its outgoing pieces. By removing the old wooden sorting bins it had used for years and years, Grainger was able to go one step beyond modular furniture by adding Rotary Delcofiles that allow mail clerks to sort mail for dozens of slots from one stationary location. This eliminates the fatigue of walking back and forth from one end of a sorting unit to another—and speeds the handling of incoming mail.

The Grainger mailroom has three Slant-Fin Rotary Delcofiles, each measuring eight feet in diameter. Two of the rotary files, each consisting of two tiers with 150 slots per tier, are used for pieces destined for the company's salesmen. The other, which has two tiers with 100 slots per tier, holds pieces for branch locations.

Saves Space, Effort

With the Rotary Delcofiles, workers can sit at the work station and bring the bins to them. Not only does this reduce the fatigue factor for sorting clerks, but it also saves space—about 150 square feet at Grainger.

Ken Monda, Grainger's manager of mail services, credits the Rotary Delcofiles with substantially increasing employee output during the five or six hours per day the clerks are involved in sorting incoming mail.

Obviously, top management has been extremely pleased with the efficient use of space and the increased mail sorting productivity.

Slant-Fin Rotary Delcofiles are available in a full range of diameters and compartment sizes, and come in both manual and motorized models. For further information, call us at 800/243-8528 (in Connecticut, 203/661-5101).

Save time and create efficiency with

SLANT-FIN ROTARY DELCOFILE SORTERS

for
- MAIL SORTING
- COLLATING
- LITERATURE STORAGE
- PRE-ADDRESSED ENVELOPES
- FORMS and other uses

SLANT-FIN ROTARY DELCOFILES provide fast multiple access to various types of records and media. They are available in a full range of diameters and compartment sizes, manual or motorized, with or without circular shelves and/or desk positions.

Insertion is easily accomplished, since material inserted beforehand leans out of the way against slanted fin dividers.

The installation shown above is in constant use in the headquarters mailroom of a leading Midwestern distribution firm with outlets all over the U.S. They have manual 77" diameter tiers, each with 150 compartments that turn independently with ease.

CALL 800-243-8528
Conn: 203-661-5101
N.Y. City: 212-697-5978

Send For Literature

DELCO ASSOCIATES, INC.

55 Old Field Point Rd., P.O. Box 423, Greenwich, Ct. 06836

DEALERS THROUGHOUT THE UNITED STATES

STANDARD *ROTARY* **DELCOFILES**



DELCOFILES
are
ACTION FILES®

DELCO ASSOCIATES, INC., 55 Old Field Pt. Rd. • P.O. Box 423 • Greenwich, Conn. 06836 • (203) 661 5101

for the speediest filing and retrieval!

STANDARD *ROTARY* DELCOFILES

Standard Rotary DELCOFILES are available in four diameters 36", 44", 48" and 54", in an attractive sandalwood beige finish. Other colors available at additional cost.

Single or multiple tier units are supplied with or without work stations. They are also available with 12" to 20" wide ring shelves.

As many as eight work stations can be placed around these standard size rotaries with ring shelves.

Base enclosures are also available as an option.

A wide variety of standard components allow for individual CUSTOMIZING of files to accommodate various materials to be filed.

Specially designed work stations are made in two standard types, with or without pedestal or pencil drawer. Work stations may have 3 or 4 legs as required.

These files are made of heavy gauge steel. The tier flange is ¾" and has a convenient textured vinyl grip to turn and stop tiers easily. High quality bearings make turning a breeze.

SANDALWOOD BEIGE FINISH



 Copyright 1982, Delco Associates, Inc.,

STANDARD Rotary TIERS

Standard tiers of 36", 44", 48" and 54" diameters are available to accommodate filing material of varying sizes, shapes and thicknesses as shown on the front page. File tiers may be stacked to any comfortable height.

Flanges on the tiers are available turned either up or down and may be used for labeling, if desired.

Unit shown below is arranged to accommodate color coded file folders for quick multiple access from the independently rotating tiers.

STANDARD ROTARY 36", 44", 48" and 54" CORRESPONDENCE TIERS



DOUBLE DECK ROTARY DELCOFILE

Other standard Rotary DELCOFILES include desk top or pedestal mounted forms and book rotaries.

The Forms Rotary is 24″ in diameter and the Book Rotary measures 33″ in diameter.

The tiers may be combined to form multiple level units which may be mixed as shown.

Each tier rotates independently for simultaneous multiple access.

WORK STATIONS

Furnished with aprons and side panels, the DELCO ROTARY WORK STATIONS measure 44″ long x 30″ deep with double tapered tops. Self-edged walnut or teak laminate tops are standard. Metal surfaces are finished in Sandlewood Beige.

Desks may be free standing or attached to a ring shelf, if one is used.

AWD 3044

AWS 3044

DELCO ASSOCIATES, INC., 55 Old Field Pt. Rd. • P.O. Box 423 • Greenwich, Conn. 06836 • (203) 661 5101

AUTHORIZED DEALER

PRINTED IN U.S.A.
SRD-10-784

STANDARD *ROTARY* **DELCOFILES**

36" - 44" - 48" - 54" DIAMETERS

Apr 88

DELCO ASSOCIATES, INC.

RICHARD D'ELIA
MANUFACTURER'S REPRESENTATIVE
(415) 348-8888

1290 HOWARD AVENUE, SUITE 211
BURLINGAME, CA 94010-4241



DIMENSIONS and SPECIFICATIONS

DELCO ASSOCIATES, INC., 55 Old Field Pt. Rd. • P.O. Box 423 • Greenwich, Conn. 06830 • (203) 661 5101

STANDARD ROTARY WORK SHEET

TIER POSITION	DISTANCE FROM FLOOR	TIER DIA. 36"-44"-48"-54"	FLANGE UP – DOWN	BOOK TIER – CARD TIER SPECIFY MEDIA W x H	EXTRA DIVIDERS
EIGHTH					
SEVENTH					
SIXTH					
FIFTH					
FOURTH					
THIRD					
SECOND					
FIRST					
REMARKS					

1. Fill in above information.
2. Specify tapping when additional tiers are to be added at a later date. An extension shaft will be required at that time.
3. Book and card tiers available in either 36", 44", 48", or 54" diameter and can be mixed on same shaft in one unit. Card or book media size can be different in between each of the six fixed partitions if desired.
4. Card dividers are available for cards in widths from 4" to 10". Book and large media dividers are available for media of 11", 12", 15", and 18 widths.
5. Dividers and card wobble plates are the same size for both 44" and 48" diameter units.
6. Specify distance from floor to tiers, diameter of each tier, flange up or down each tier, media size in each tier. There is no price change for any combination of tiers selected.
7. Distance from floor and space between tiers and their relative positions can be changed at any time.
8. Minimum distance from floor for the first or bottom tier is 5 inches. The maximum height from floor to deck of the top tier is 72 inches.
9. The minimum space between book tiers is 9 inches, between card tiers it is 5 ¾ inches. The standard clearance between top of media and bottom of next tier is 1 ½ inches.
10. Standard space between tiers - letter and legal 11 ½", x-ray 16 ½", ring binder 13", card tier 1 ½" over height of card (min. 5-¾ inches).
11. Unless specified, book tiers will be supplied flange down and card tiers flange up.
12. All 36", 44", 48", diameter tiers have 6 permanent dividers and slotted deck and back plate for accepting up to 66 movable dividers or wobble plates. Each tier can be divided into 72 compartments.
13. All 54" diameter tiers have 8 fixed dividers and slots for 72 movable dividers. Each tier may be divided into 80 equal compartments.
14. A minimum of one movable divider for each fixed divider should be ordered.
15. Top hub cover should be ordered for each rotary unit for top tier only if top tier is below eye level.
16. Double slotting of tiers is optional at extra cost.
17. Paint finish; tiers, movable dividers, wobble plates, top hub cover – Sandalwood Beige.
    Base paint finish is black.
    For all other paint finish colors add 10% to prices shown.
18. Prices are delivered to loading dock; inside delivery if required, will be in addition.
19. All accesories, when shipped separately, are F.O.B. shipping point if under $150.00 list.

DELCO ASSOCIATES, INC., 55 Old Field Pt. Rd. • P.O. Box 423 • Greenwich, Conn. 06830 • (203) 661 5101

ROBERT A. D'ELIA, INC.
1290 HOWARD AVE., SUITE 211
BURLINGAME, CA. 94010
415 - 348-8888

FORM SRD-DS1280
PRINTED IN U.S.A.

Apr 88

CUSTOM *Rotary* DELCOFILES

and accessories

MANUAL and MOTORIZED UNITS specifically designed to your exact requirements providing multiple access to records

DELCO ASSOCIATES, INC., 55 Old Field Pt. Rd. • P.O. Box 423 • Greenwich, Conn. 06830 • (203) 661 5101

custom rotary Delcofiles

ALL CUSTOM ROTARY DELCOFILES are designed and built to your specific requirements.

Ask us to propose units for your particular operation.



MOTORIZED CABLE ASSIGNMENT ROTARY DELCOFILE — ring shelf and multiple desk positions at an Eastern Bell Telephone Service Center. Capacities range from 50 to 128 books or larger, designed to suit your particular book or media size. Single or double tiered. The second tier may be smaller in diameter and used for forms or other media. Each tier may be manually operated or motorized.



Two 88″ diameter, double motorized, high capacity line card rotary Delcofiles. First tier with 3 rows of cards is motorized; second tier also motorized and third tier with 2 rows manually operated. Units may be made in any required configuration for fast access to different size cards. Rows may be flat or stepped as shown. Total filing capacity on units shown is 1373 lineal inches. A contoured bridge desk is used between the two rotaries as well as individual work stations.

CUSTOM ROTARY DELCOFILES are ACTION FILES® providing **FAST MULTIPLE ACCESS** to all kinds of records. Available in motorized or manual units with multiple tiers for the same or different media. Units up to 16½ ft. in diameter with 20 work stations are now in use.



16½ ft. diameter Rotary Delcofile with three tiers. The first two tiers are individually motorized. Unit has twenty special work station positions. Unit used for doctor appointment scheduling at a large western hospital center.

One of four matching 88″ diameter Rotary Delcofiles with work station desks. Each unit houses 1200 microfilm cartridges in five tiers (240 per tier). Tiers revolve together at a constant speed in one direction, but it can be varied. Similar units have forward, reverse and stop features. Manual units with individually revolving tiers are available. Diameters in excess of 10 ft. have been manufactured and larger units are available.

work station desks

Work stations or work station desks are furnished with modesty panels and end panels. They measure 44″ long x 30″ wide and single or double tapered where they meet outer circumference of the rotary or ring shelf. Also available untapered.

Other size work station desks to meet specific requirements are available. Self-edge, high pressure laminate walnut or teak tops are standard. Metal surfaces are furnished in a choice of eight standard decorator colors:

101 Putty
102 Black
103 Dark Beige
104 Mist Green
105 Light Gray
106 Computer Blue
107 Sandalwood Beige
109 Dark Brown

Other paint and laminate colors are available. Brushed chrome legs are standard. Brackets to attach work stations or desks to rotaries or ring shelves are optional.

Push button controls can be mounted in desk apron to allow motorized unit to be operated without affecting desk-top. Wiring for controls is behind apron to prevent breakage.

STYLE 1
A pencil drawer and **sliding reference shelf** are standard.



STYLE 2 is available with a 2-drawer pedestal (one box drawer and one file drawer), and with or without pencil drawer. Pencil trays and posting shelves for the box drawer are optional.

tiers

All Custom Rotary Delcofile Tiers over 72″ diameter are shipped in four quarter sections for easy entry into buildings, movement within and assembly.



BOOK, VARIABLE MEDIA AND CORRESPONDENCE TIERS
made in several diameters from 33″ up with varying number of fixed partitions. Bottoms and backs are slotted to accept movable dividers. Available in single or multiple tier units, either motorized or manual. Tiers with diameters 54″ and above come with stainless steel edge molding for protection and attractive appearance. Aluminum molding with plastic label holder is optional.



CARD TIERS
Custom designed for existing card records from 3″ x 5″ to 8½″ x 11″ or larger. Diameters vary from 24″ up. Multiple rows may be one one level or stepped. Multiple tier units revolving separately within each other, are available. One, two or three tiers may be motorized. Rows or tiers may be stepped or flat.



STANDARD COMPARTMENT TIERS
for varying size cards, forms or microfiche are available in 24″, 33″ and 54″ as well as larger diameters. The number of compartments may vary from 40 to any amount required.

ring shelves

Available in 10″ to 20″ widths for Delcofiles in self-edge laminates matching desk tops. Desks shown are single pedestal, double tapered with pencil drawer.



combination card, book and dispatch rotary delcofile

This manual unit is available in varying sizes. Each tier rotates independently. Work station has special extended top for easy removal of books. Also available with one or more tiers motorized.



single motorized base

1. 53½″ diameter motor base.
2. Clutch adjustable without removing tier.
3. Heavy duty chain/sprocket drive train.
4. 2″ diameter removable shaft.
5. Fully grounded plug-in control box.
6. ⅓ HP resilient mount motor, fully grounded... plugs into control box.
7. Heavy duty speed reducer.
8. 49″ diameter circular enclosure. Height varies with rotary coming within 1″ of tier. All panels easily removable. Control wiring harness disconnects at each panel.



Form CR-183-10

9. 10 ft. power cord — 3 prong, 110V, 60 cyc. single phase, 15 amps maximum.
10. 8 push button control sockets — 2 in each panel.
11. 6 leveling glides — 5 on O.D. 1 in center.
12. Power ON & OFF switch and fuse externally mounted.
13. Optional adjustable variable speed drive.

FOR UNITS OVER 92″ IN DIAMETER OR DOUBLE MOTORIZED, BASES ARE INDIVIDUALLY ENGINEERED

DELCO ASSOCIATES, INC., 55 Old Field Pt. Rd. • P.O. Box 423 • Greenwich, Conn. 06830 • (203) 661 5101